

The following chart appeared in American Woodturner June 1990,

Originally posted to rec.woodworking by Bruce Taylor taylor@tpwosf.tayl.dec.com

| Wood | Reaction | Site | Potency | Source | Incidence |
|-----------------|----------|-------|---------|--------|-----------|
| ---- | ----- | ---- | ----- | ----- | ----- |
| Bald Cypress | S | R | + | D | R |
| Balsam Fir | S | E,S | + | LB | C |
| Beech | S,C | E,S,R | ++ | LB,D | C |
| Birch | S | R | ++ | W,D | C |
| Black Locust | I,N | E,S | +++ | LB | C |
| Blackwood | S | E,S | ++ | W,D | C |
| Boxwood | S | E,S | ++ | W,D | C |
| Cashew | S | E,S | + | W,D | R |
| Cocobolo | I,S | E,S,R | +++ | W,D | C |
| Dahoma | I | E,S | ++ | W,D | C |
| Ebony | I,S | E,S | ++ | W,D | C |
| Elm | I | E,S | + | D | R |
| Goncalo Alves | S | E,S | ++ | W,D | R |
| Greenheart | S | E,S | +++ | W,D | C |
| Hemlock | C | R | ? | D | U |
| Iroko | I,S,P | E,S,R | +++ | W,D | C |
| Mahogany | S,P | S,R | + | D | U |
| Mansonia | I,S | E,S | +++ | W,D | C |
| | N | | + | D | |
| Maple (Spalted) | S,P | R | +++ | D | C |
| Mimosa | N | | ? | LB | U |
| Myrtle | S | R | ++ | LB,D | C |
| Oak | S | E,S | ++ | LB,D | R |
| | C | | ? | D | U |
| Obeche | I,S | E,S,R | +++ | W,D | C |
| Oleander | DT | N,C | ++++ | D,W,LB | C |
| Olivewood | I,S | E,S,R | +++ | W,D | C |
| Opepe | S | R | + | D | R |
| Padauk | S | E,S,R | + | W,D | R |
| Pau Ferro | S | E,S | + | W,D | R |
| Peroba Rosa | I | R,N | ++ | W,D | U |
| Purpleheart | | N | ++ | W,D | C |
| Quebracho | I | R,N | ++ | LB,D | C |
| | C | | ? | D | U |
| Redwood | S,P | E,S,R | ++ | D | R |
| | C | | ? | D | U |
| Rosewoods | I,S | E,S,R | ++++ | W,D | U |
| Satinwood | I | E,S,R | +++ | W,D | C |
| Sassafras | S | R | + | D | C |
| | DT | N | + | D,W,LB | R |
| | C | | ? | D | U |
| Sequoia | I | R | + | D | R |
| Snakewood | I | R | ++ | W,D | R |
| Spruce | S | R | + | W,D | R |
| Walnut, Black | S | E,S | ++ | W,D | C |
| Wenge | S | E,S,R | + | W,D | C |
| Willow | S | R,N | + | D,W,LB | U |
| West. Red Cedar | S | R | +++ | D,LB | C |
| Teak | S,P | E,S,R | ++ | D | C |
| Yew | I | E,S | ++ | D | C |
| | DT | N,C | ++++ | W,D | C |
| Zebrawood | S | E,S | ++ | W,D | |

| REACTION: | SITE: | SOURCE: | INCIDENCE: |
|---|-----------------|-------------------|--------------|
| I - irritant | S - skin | D - dust | R - rare |
| S - sensitizer | E - eyes | LB - leaves, bark | C - common |
| C - nasopharyngeal cancer | R - respiratory | W - wood | U - uncommon |
| P - pneumonitis, alveolitis (hypersensitivity pneumonia) | C - cardiac | | |
| DT - direct toxin | | | |
| N - nausea, malaise | | | |

Reference:

1. Woods Toxic to Man, author unknown
2. Woods, B., Calnan, C.D., "Toxic Woods." Br. Journal of Dermatology 1976
3. ILO Encyclopedia of Occupational Health and Safety 1983
4. Lame, K., McAnn, M., AMA Handbook of Poisonous and Injurious Plants, AMA 1985
5. Poisondex, Micromedix Inc. 1990